

**Examples of Codex Maximum Residue Limits/
Extraneous Maximum Residue Limits for Pesticides in Food**

Codex Code: 118 Pesticide: Cypermethrin
Residue definition: Cypermethrin (sum of isomers) (fat-soluble)

<u>Code No</u>	<u>Commodity</u>	<u>MRL/ mg/kg</u>	<u>Notes</u>
FB 0018	Berries and other small fruits	0.5	
FC 0001	Citrus fruits	2	
FP 0009	Pome fruits	2	
FS 0013	Cherries	1	
FS 0014	Plums (including prunes)	1	
FS 0245	Nectarine	2	
FS 0247	Peach	2	
VA 0384	Leek	0.5	
VA 0385	Onion, Bulb	0.1	
VB 0040	Brassica vegetables	1	
VC 0424	Cucumber	0.2	
VD 0541	Soya bean (dry)	0.05	(*)
VL 0480	Kale	1	
VL 0482	Lettuce, Head	2	
VL 0502	Spinach	2	
VO 0051	Peppers	0.5	
VO 0440	Egg plant	0.2	
VO 0447	Sweet corn (corn-on-the-cob)	0.05	(*)
VO 0448	Tomato	0.5	
VO 0450	Mushrooms	0.05	(*)
VP 0062	Beans, Shelled	0.05	(*)
VP 0063	Peas (pods and succulent=immature seeds)	0.05	(*)
VP 0526	Common bean (pods and/or immature seeds)	0.5	
VR 0075	Root and tuber vegetables	0.05	(*)
GC 0640	Barley	0.5	
GC 0645	Maize	0.05	(*)
GC 0654	Wheat	0.2	
SB 0716	Coffee beans	0.05	(*)
SO 0089	Oilseed, except peanut	0.2	

SO 0697	Peanut	0.05	(*)
HS 0191	Spices, Fruits and Berries	0.1	
HS 0193	Spices, Roots and Rhizomes	0.2	
ML 0106	Milks	0.05	F (a)
MM 0095	Meat (from mammals other than marine mammals)	0.2	(fat) (a)
MO 0105	Edible offal (mammalian)	0.05	(*) (a)
PE 0112	Eggs	0.05	(*)
PM 0110	Poultry meat	0.05	(*)
DT 1114	Tea, Green, Black	20	
OR 0172	Vegetable oils, Edible	0.5	

Codex Code: 21 Pesticide: DDT
Residue definition: Sum of p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-TDE (DDD) (fat-soluble)

<u>Code No</u>	<u>Commodity</u>	<u>EMRL/ mg/kg</u>	<u>Notes</u>
VR 0577	Carrot	0.2	
GC 0080	Cereal grains	0.1	
ML 0106	Milks	0.02	F
PE 0112	Eggs	0.1	
PM 0110	Poultry meat	0.3	

Notes:

- (*) (following MRLs or EMRLs) : At or about the limit of determination.
- F (following MRLs or EMRLs for milks) : The residue is fat soluble and MRLs for milk products are derived as explained below:
- ♦ Codex MRLs/EMRLs for fat-soluble pesticide residues in milk and milk products are expressed on a whole product basis.
 - ♦ For a “milk product” with a fat content less than 2%, the MRL applied should be half those specified for milk.
 - ♦ The MRL for “milk products” with a fat content of 2% or more should be 25 times the maximum residue limit specified for milk, expressed on a fat basis.
- (fat) (following MRLs or EMRLs for meat) : The MRL/EMRL applies to the fat of meat.
- (a) The MRL accommodates external animal treatment.

